

Specsheet Prowise Wireless Bluetooth Speakerphone



Taking digital conferencing to the next level

This easy-to-use speakerphone takes digital conferencing to an even higher level. Thanks to the combination with the Prowise Touchscreen, anything is possible during a meeting.



Speaker and microphone in one

Ideal extension during meetings

- Six-array microphones
- ⊘ For multi-person conferencing
- ⊘ For medium-sized meeting rooms
- ⊘ 360° omnidirectional
- Fully wireless connection to the touchscreen, both in the OPS module and in Central via Bluetooth.
- Ocnnecting up to ten metres away
- Optimal voice pick-up to five metres away
- O Built-in speaker
- ⊘ Zoom-certified



Technical specifications

PW.2.10016.0001

Microphone	
Туре	6-array microphone
Pick-up radius	5 metre radius
Frequency range	150Hz ~7.5kHz
Audio	
Speaker type	1x 5W (1.0 audio)
Maximum sound pressure level	85dB SPL@0.5m ,1kHz
Signal-to-noise ratio	≥75dB
Frequency range	150Hz~16kHz

2

Bluetooth		
Bluetooth version	BT4.2+EDR	
Range	10 metres	
Frequency	2.4GHz	

I/O poorten		
USB-C	1 (Audio IN/OUT+ Opladen 5V/2A)	
Audio IN/OUT	1 AUX (audio jack 3.5mm)	
Buttons	6	

Battery	
Continuous working time	8 hours (at maximum volume)
Capacity	7.4 V /2200mAh
Charging	5V / 2A

Hardware	
Dimensions	120mm × 36.5mm (diameter x height)
Weight	390 g
Packaging dimensions	225×158×50mm
Weight including packaging	692 g
Warranty	l year

Ambient factors	
Ambient temperature	0°C~40°C
Humidity	10%~90%
Storage temperature	-20°C~60°C
Height	under 5000 metres

Version: 1 June 2024©

3

Accessoires		
USB-C cable	1	
Audio cable	1	

Dimensions Speakerphone

All dimensions are in millimeters

96

